

	Hits	Search Text	DBs
1	1	("4813024").PN.	USPAT
2	87	((multiple or plural\$3 or second or other) near2 processor\$2) with cryptograph\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	4	("5410726" "5423044" "5530753" "5675724").PN.	USPAT
4	0	6047375.URPN.	USPAT
5	1	("4870681").PN.	USPAT
6	1	("6101255").PN.	USPAT
7	1	("6141422").PN.	USPAT
8	193	(parallel or simultaneous\$2) near3 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (process\$3 or operation\$1 or function\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	1	("6477646").PN.	USPAT
10	15	4731843.URPN.	USPAT
11	1	("6378009").PN.	USPAT
12	1	("6378021").PN.	USPAT
13	1	("6378072").PN.	USPAT
14	0	((multiple or plural\$3 or second or other) near2 processor\$2) same ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or functions or task\$1 or proses\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	11	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (operation\$1 or functions or task\$1 or proses\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	40	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (key\$1 or random near2 (value\$1 or number\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	1	meislahn and angelo.in.	USPAT
18	1	("4813024").PN.	USPAT
19	7	4813024.URPN.	USPAT
20	6	feyt.in. and benoit.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT

BEST AVAILABLE COPY

	Hits	Search Text	DBs
21	418	kocher.in.	USPAT; US-PGPUB
22	1	kocher-paul.in.	USPAT; US-PGPUB
23	7	kocher.in. and (leak\$ near3 cryptograph\$2)	USPAT
24	3026	713/172,174,192,193,200,340;380/29-30; 705/65.ccls. and @ad<20000108	USPAT; US-PGPUB
25	361	(713/172,174,192,193,200,340;380/29-30 ;705/65.ccls. and @ad<20000108) and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing))	USPAT; US-PGPUB
26	152	((713/172,174,192,193,200,340;380/29-3 0;705/65.ccls. and @ad<20000108) and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing))) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))	USPAT; US-PGPUB
27	96	((713/172,174,192,193,200,340;380/29- 30;705/65.ccls. and @ad<20000108) and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing))) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))) and (parallel or simultaneous\$2)	USPAT; US-PGPUB
28	40	(713/172,174,192,193,200,340;380/29-30 ;705/65.ccls. and @ad<20000108) and ("power consumption" near5 (anal\$5 or monitor\$3))	USPAT; US-PGPUB
29	12	((713/172,174,192,193,200,340;380/29-3 0;705/65.ccls. and @ad<20000108) and ("power consumption" near5 (anal\$5 or monitor\$3))) and ((extract\$3 or obtain\$3) near3 (secret or key\$1 or information))	USPAT; US-PGPUB
30	5	(713/172,174,192,193,200,340;380/29-30 ;705/65.ccls. and @ad<20000108) and ("differential power analysis" or dpa)	USPAT; US-PGPUB
31	22	(complementary near3 operation\$1) same (cryptograph\$2 or encrypt\$3 or decrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

BEST AVAILABLE COPY

	Hits	Search Text	DBs
32	84	((random near3 (assign\$3 or select\$3)) with \$processor\$1) and (cryptograph\$2 or encrypt\$3 or decrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

BEST AVAILABLE COPY